



# PRODUCT CATALOG

(720)-534-1220

[www.DenverStormDoor.com](http://www.DenverStormDoor.com)





# Table Of Contents

<b>Storm Door Ordering</b>	<b>04</b>
<b>Platinum Collection</b>	<b>06</b>
<b>Retractable Screen</b>	<b>06</b>
Platinum Retractable Screen	07
<b>Interchangeable Full Glass</b>	<b>08</b>
Platinum Interchangeable Full Glass	09
<b>Secure Screen</b>	<b>10</b>
Platinum Secure Screen	11
<b>Secure Glass</b>	<b>12</b>
Platinum Secure Glass	13
<b>Elegant Selection</b>	<b>14</b>
149FV Elegant Selection Fullview	15
350 Classic-View Fullview	16
360-48 Full Screen	17
<b>Easy Vent® Selection</b>	<b>18</b>
146FV Easy Vent® Fullvie	19
356 Lifestyle Fullview	20
830 Lifestyle Midview	21
691 Lifestyle Highview	22
370-81 Life-Core® Midview	23
<b>Pet Friendly Doors</b>	<b>24</b>
360-49 Pet Breeze	25
360-79 Classic-View PetView	26
370 Life-Core Pet Door	27
<b>Venting</b>	<b>28</b>
370-50 Life-Core® Reversa Screen	29
360-16 and 660-16 Classic-View	30
27 1-TT Life-Core Multi-Vent®	31
830-46 Life-Style Multi-Vent®	32
278-SS Life-Core® Single-Vent	33
380-05 Mobile Home Door	34
288-SS and 283-ST Value-Core® Single-Vent	35
298-SS and 293-ST Vinyl-Clad Single-Vent	36
<b>Security</b>	<b>37</b>




# Storm Door Ordering



## Storm Door Measuring

Use the diagram to the right to record your measurements as shown. If the width measurements vary, record the smallest measurement.

Using the recorded dimensions, determine which mounting application will be used: Platinum Collection Surface Mount or EasyHang® Recess Mount.




### RECORD MEASUREMENTS

A	WIDTH
B	WIDTH
C	WIDTH
D	HEIGHT

### Platinum Collection

#### SURFACE MOUNT

The rails mount directly to the face of the exterior brickmold and require a 3/4" wide mounting surface.



Note: Construction styles may vary.




#### Pre-Hinged for Effortless Installation

Select LH (left-hinge) or RH (right-hinge) as viewed from outside.



#### RECESS MOUNT

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.



Note: Construction styles may vary.



#### Universal Hinging

Allows for left-hinge or right-hinge installation.

### Specify When Ordering:

1. Model number.
2. Color.
3. Required opening size (width x height).
3. Platinum hinge side (LH or RH).
4. EasyHang universal hinge.

DOOR OPENING	MIN. WIDTH	MAX. WIDTH	MIN. HEIGHT	MAX. HEIGHT
30" x 81"	29-7/8"	30-3/8"	80"	81"
32" x 81"	31-7/8"	32-3/8"		
34" x 81"	33-7/8"	34-3/8"		
36" x 81"	35-7/8"	36-3/8"		
32" x 85"	31-7/8"	32-3/8"	84"	85"
34" x 85"	33-7/8"	34-3/8"		
36" x 85"	35-7/8"	36-3/8"		
32" x 75"	31-7/8"	32-3/8"	74-1/2"	75-1/2"
30" x 75"	29-7/8"	30-3/8"		

**NOTE:** Standard size availability varies by model. Custom size doors are made to fit opening size ordered. Allow 3–5 weeks for custom orders. Once placed, custom orders cannot be canceled. Shims may be required in certain installation applications.

©2023 Larson Manufacturing Company. All rights reserved.

Upon receipt of goods ordered, please examine for proper models, sizes and colors. LARSON will replace products if a manufacturing or shipment error is made. LARSON will not be liable for any installation charges or any other costs incurred. LARSON reserves the right to alter or discontinue any model, specifications, warranty, or price without notice.







## Platinum Collection

### Retractable Screen

#### Our ultimate full glass model.

The Platinum RS is the ultimate Screen Away® storm door with added safety lock, better operation, a modern look and an installation that takes only 10 minutes.\* Invite fresh air into your home with the touch of a finger, and enhance your entrance's beauty with a sleek design that is both attractive and innovative. The multi-point locking system secures the door in three places, providing extra peace of mind. Triple weatherstrip surrounds the low-maintenance aluminum frame for durable protection from the elements.



Matte Black



Brushed Nickel



Aged Bronze



**QuickFit™**  
HANDLE SET



Brushed Nickel



Aged Bronze



Antique Brass



Brass

Straight Handle

Curved Handle



## Platinum Retractable Screen

### Standard Features

- Screen Away® technology lets you feel the breeze with the touch of a finger and hides the screen in the top cassette when not in use.
- Screen locks in place at the top with easy-to-reach, self-locking center latch. Simply pull to release screen from hidden cassette.
- The built-in closer is hidden to provide a clean look inside your home. Click&Hold™ technology holds the door open when needed.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Triple weatherstrip surrounds the door and frame for a tight, seamless seal.
- Pre-assembled screw covers snap tight to provide a finished look.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty.



Additional security with multi-point locking system.




Hidden built-in closer with Click&Hold™ technology to hold the door open.

#### LARSON LIST


QuickFit™ Handleset	
<b>CURVED</b>	
20297817 Brushed Nickel	
20297807 Brass	
20297857 Aged Bronze	
20297820 Antique Brass	
<b>STRAIGHT</b>	
20298917 Brushed Nickel	
20298957 Aged Bronze	
20298953 Matte Black	
Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.	

#### LARSON LIST

Platinum RS	SIZE
456FVE Low-E	32" x 81" 36" x 81"
456FV Clear	32" x 81" 36" x 81"
REGULAR CUSTOM**	
456FVE Low-E	W: 30" – 40" H: 75" – 86"
456FV Clear	W: 30" – 40" H: 75" – 86"
OVERSIZE CUSTOM**	
456FVE Low-E	W: up to 32" – 40" H: 86 - 1/8" - 97"
456FV Clear	



Right-Hinge  
(Left-Hand)  
Outswing



Left-Hinge  
(Right-Hand)  
Outswing

When ordering, select correct hinging as seen from outside.

Door Color Sample		
White Linen	Black	Graphite
Pebblestone	Woodland	

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

\* Preparation time not included. Based on typical installation. Actual times may vary.



\*\* CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

\*\*\* Order in increments of three (same finish) for reduced pricing.







## Platinum Collection

### Interchangeable Full Glass

**The ultimate Screen Away® model.**

The Platinum IFG is our ultimate full glass storm door with added safety lock, better operation, a modern look and an installation that takes only 10 minutes.\* The interchangeable full screen allows fresh air in seasonally. Enhance your entrance's beauty with a sleek design that is both attractive and innovative. The multi-point locking system secures the door in three places, providing extra peace of mind. Triple weatherstrip surrounds the low-maintenance aluminum frame for durable protection from the elements.



Matte Black



Brushed Nickel



Aged Bronze



**QuickFit™**  
HANDLE SET



Brushed Nickel



Aged Bronze



Antique Brass



Brass

Straight Handle

Curved Handle



## Platinum Interchangeable Full Glass

### Standard Features



- Swap glass with the full screen for seasonal ventilation. Simply remove retainers and glass, then place screen and add insert retainers. Includes anti-bow clips.
- The built-in closer is hidden to provide a clean look inside your home. Click&Hold™ technology holds the door open when needed.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Triple weatherstrip surrounds the door and frame for a tight, seamless seal.
- Pre-assembled screw covers snap tight to provide a full, finished look.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty.



Additional security with multi-point locking system.



Hidden built-in closer with Click&Hold™ technology to hold the door open.




#### LARSON LIST


QuickFit™ Handleset
<b>CURVED</b>
20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass
<b>STRAIGHT</b>
20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black
<small>Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.</small>

#### LARSON LIST

Platinum RS	SIZE
459FVE Low-E	32" x 81" 36" x 81"
459FV Clear	32" x 81" 36" x 81"
<b>REGULAR CUSTOM**</b>	
459FVE Low-E	W: 24" - 36" H: 75" - 85"
459FV Clear	W: 24" - 36" H: 75" - 85"
<b>OVERSIZE CUSTOM**</b>	
456FVE Low-E	W: 36" - 1/8 - 42"
459FV Clear	H: 75" - 85"
<b>OVERSIZE PLUS CUSTOM**</b>	
459FVE Low-E	W: up to 42"
459FV Clear	H: 85 - 1/8" - 97"



Right-Hinge  
(Left-Hand)  
Outswing



Left-Hinge  
(Right-Hand)  
Outswing

When ordering, select correct hinging as seen from outside.

Door Color Sample
White Linen
Black
Graphite
Pebblestone
Woodland

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

\* Preparation time not included. Based on typical installation. Actual times may vary.



\*\* CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

\*\*\* Order in increments of three (same finish) for reduced pricing.







## Platinum Collection Secure Screen

### Our toughest screen door.

The Platinum SCR is our toughest security screen door with added safety lock, better operation, a modern look and an installation that takes only 10 minutes.\* The Dominator™ steel screen mesh provides an exceptional layer of extra security without sacrificing ventilation or your view. Enhance your entrance's beauty with a sleek design that is both attractive and innovative. The multi-point locking system secures the door in three places, providing extra peace of mind.



Matte Black



Brushed Nickel



Aged Bronze



**QuickFit™**  
HANDLE SET



Brushed Nickel



Aged Bronze



Antique Brass



Brass

Straight Handle

Curved Handle



## Platinum Secure Screen Standard Features

- Dominator .032" stainless steel mesh is tested to withstand 1,000 lbs. of force to help prevent break-ins.\*\*
- The built-in closer with Click&Hold™ technology is hidden to provide a clean look inside and out, while conveniently holding the door open.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Effectively blocks insects without restricting views or airflow.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.

Platinum SCR  
450-18



Additional security with multi-point locking system.




Hidden built-in closer with Click&Hold™ technology to hold the door open.

### LARSON LIST

QuickFit™ Handleset
<b>CURVED</b> 20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass
<b>STRAIGHT</b> 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black
<small>Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.</small>

### LARSON LIST

Platinum RS	SIZE
450-18	32" x 81" 36" x 81"
<b>REGULAR CUSTOM**</b>	
450-18	W: 24" - 36" H: 75" - 85"
<b>OVERSIZE CUSTOM**</b>	
450-18	W: 36 - 1/8" - 42" H: 75" - 85"
<b>OVERSIZE PLUS CUSTOM***</b>	
450-18	W: 24" - 42" H: 85 - 1/8" - 97"








Right-Hinge  
(Left-Hand)  
Outswing

Left-Hinge  
(Right-Hand)  
Outswing

When ordering, select correct hinging as seen from outside.

# Door Color Sample

		
White Linen	Black	Graphite
		
Pebblestone	Woodland	

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

\* Preparation time not included. Based on typical installation. Actual times may vary.



**\*\* CUSTOM DOORS:** Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

\*\*\* Order in increments of three (same finish) for reduced pricing.







LARSON

## Platinum Collection Secure Glass

### Our toughest security storm door.

The Platinum SG is our toughest security storm door with added safety lock, better operation, a modern look and an installation that takes only 10 minutes.\* The Dominator™ shield allows maximum sunlight into the home while providing a barrier that can withstand repeated blows. Enhance your entrance's beauty with a sleek design that is both attractive and innovative. The multi-point locking system secures the door in three places, providing extra peace of mind. Triple weatherstrip surrounds the low-maintenance aluminum frame for durable protection from the elements.



Matte  
Black



Brushed  
Nickel



Aged  
Bronze



QuickFit™  
HANDLE SET



Brushed  
Nickel



Aged  
Bronze



Antique  
Brass



Brass

Straight Handle

Curved Handle



## Platinum Secure Glass Standard Features

- Dominator™ shield in between two glass panels helps keep intruders out; includes Break-In Protection Warranty.
- The built-in closer with Click&Hold™ technology is hidden to provide a clean look inside and out, while conveniently holding the door open.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Fullview glass allows maximum natural light into the home.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.



Additional security  
with multi-point  
locking system.



Hidden built-in closer  
with Click&Hold™ technology  
to hold the door open.




Platinum SG  
449-04

### LARSON LIST


QuickFit™ Handleset
<b>CURVED</b> 20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass
<b>STRAIGHT</b> 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black
<small>Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.</small>

### LARSON LIST

Platinum RS	SIZE
449-04	32" x 81" 36" x 81"
<b>REGULAR CUSTOM**</b>	
449-04	W: 24" - 36" H: 75" - 85"
<b>OVERSIZE CUSTOM**</b>	
449-04	W: 36 -1/8" - 42" H: 75" - 85"
<b>OVERSIZE PLUS CUSTOM***</b>	
449-04	W: 24" - 42" H: 85 -1/8" - 97"



Right-Hinge  
(Left-Hand)  
Outswing



Left-Hinge  
(Right-Hand)  
Outswing

When ordering, select correct hinging as  
seen from outside.

Door Color Sample
<div>White Linen</div> <div>Black</div> <div>Graphite</div> <div>Pebblestone</div> <div>Woodland</div>

**Note:**  
See your LARSON seller  
or visit [larsondoors.com](http://larsondoors.com)  
for additional information  
on limited warranties and  
exclusions.

\* Preparation time not included. Based on  
typical installation. Actual times may vary.



**\*\* CUSTOM DOORS:** Please  
allow 6-10 weeks for delivery.  
Once placed, custom orders  
cannot be canceled.

\*\*\* Order in increments of three  
(same finish) for reduced pricing.







## Full Glass Elegant Selection

### Add a layer of protection.

Protect your entry beautifully. Our full glass storm doors help frame your opening. Let the light in and enjoy the view.



Matte  
Black



Brushed  
Nickel



Aged  
Bronze



**QuickFit™**  
HANDLE SET



Brushed  
Nickel



Aged  
Bronze



Antique  
Brass



Brass

Straight Handle

Curved Handle



## 149FV Elegant Selection Fullview Standard Features

- Overlapping edge with double weatherstrip extends over door seam to seal out weather and conceal hinges and gaps.
- 1-5/8" thick aluminum frame with low-maintenance finish.
- Full screen included for seasonal ventilation (not included with 149PV).
- Designer screw covers conceal exterior mounting screws.
- Two-closer system: bottom closer features hold-open button that holds storm door open with tap of toe; top closer adds dependable opening and closing.
- Bottom expander adjusts to uneven sills.
- Choose the QuickFit™ handleset that best complements your home (sold separately).
- Self-drilling installation screws.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.
- Built in 8"x12" Pet Door fits pets up to 40 lbs. Includes a slide in panel cover (149PV).



Fullview with screen  
Low-E and Clear  
149FVE | 149FV



Built-in  
Pet Door  
149PV



Bevel  
with screen  
149BV



Elegant Bevel  
with screen  
149EBV



### LARSON LIST

QuickFit™ Handleset
<b>CURVED</b> 20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass
<b>STRAIGHT</b> 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black
<small>Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.</small>

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

### LARSON LIST

Platinum RS	SIZE
149FVE Low-E	32" x 81" 36" x 81"
149FV Clear	32" x 81" 36" x 81"
	30" x 81"
	34" x 81"
149PV Pet Door	32" x 81" 36" x 81"
149BV Arched Double Bevel	32" x 81" 36" x 81"
149EBV Elegant Bevel	36" x 81"
REGULAR CUSTOM**	
149FVE Low-E	W: 24" – 36" H: 70" – 85"
149FV Clear	
OVERSIZE CUSTOM**	
149FVE Low-E	W: 36 -1/8"- 42" H: 70" - 85"
149FV Clear	
OVERSIZE PLUS CUSTOM***	
149FVE Low-E	W: 24"- 42" H: 85 -1/8" - 97"
149FV Clear	

Door Color Sample		
White	Almond	Sandstone
Brown	Black	

**FRENCH DOOR KIT** available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



**\*\* CUSTOM DOORS:** Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

\*\*\* Order in increments of three (same finish) for reduced pricing.







Model Shown: 350-17  
Clear Glass  
Brushed Nickel

## 350 Classic-View Fullview Standard Features

- Low-maintenance 1-1/4" aluminum frame.
- Heavy-duty weatherstrip.
- Full screen included for seasonal ventilation.
- Matching levers inside and out with built-in deadbolt security lock.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.




Brushed Nickel      Brass



### LARSON LIST


Platinum RS	SIZE
350-17 Clear Brushed Nickel	32" x 81" 36" x 81"
350-04 Clear Brass	
REGULAR CUSTOM**	
Clear Glass 350-17, 350-04	W: 24" - 36" H: 70" - 85"
OVERSIZE CUSTOM**	
Clear Glass 350-17, 350-04	W: 36 -1/8"- 40" H: 70" - 85"
OVERSIZE PLUS CUSTOM***	
Clear Glass 350-17, 350-04	W: 24"- 42" H: 85 -1/8" - 90"



**FRENCH DOOR KIT** available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



**\*\* CUSTOM DOORS:** Please allow 3–5 weeks for delivery. Once placed, custom orders cannot be canceled.



## 360-48 Full Screen Standard Features


- Kid- and pet-friendly WearTuff® screen reinforced in frame; upgrade screen options available.
- Low-maintenance 1-1/4" rigid aluminum frame.
- Mounting rail with side weatherstrip to keep out pests.
- Color-matched lever handle and inside lock.
- Color-matched adjustable speed closer.
- Bottom expander fits tight to bottom sill.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.

Model Shown: 360-48 with WearTuff® screen

### Screen Options

#### WEARTUFF®


Durable mesh screen holds up to wear and tear.



### Upgrade Screen Options

#### PETSCREEN®

Tear-resistant screen built with your pet in mind.





#### NO-SEE-UM

Tight mesh guards against small insects.



#### SUNTEX®80


Heavy-duty woven mesh blocks 80% of sun's heat.



White      Brown

### LARSON LIST

READY-TO-HANG SCREEN DOOR	SIZE
360-48 Color Matched	32" x 81" 36" x 81"
360-48 REGULAR CUSTOM*	W: 24" - 36" H: 70" - 85"
360-48 OVERSIZE CUSTOM*	W: 36 -1/8" - 42" H: 70" - 85"
360-48 OVERSIZE CUSTOM PLUS*	W: 24" - 40" H: 85 -1/8" - 97"



**FRENCH DOOR KIT** available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.



**\*\* CUSTOM DOORS:** Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

**Note:** See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.







LARSON

Retractable Screen

Easy Vent® Selection

Add a layer of protection.

Let in light and fresh air with Screen Away® storm doors. The built-in screen makes it easy to welcome in the breeze and stays hidden in the top cassette when not in use.



Matte Black



Brushed Nickel



Aged Bronze



Straight Handle

QuickFit™  
HANDLE SET



Brushed Nickel



Aged Bronze



Antique Brass




Brass

Curved Handle



146FV Easy Vent® Fullview  
Standard Features

- 1-7/8" thick aluminum frame with low-maintenance finish.
- Overlapping frame with double weatherstrip seals out weather and conceals hinges and gaps.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Easy Vent® balanced window system for easy one-hand operation.
- Designer screw covers conceal exterior mounting screws.
- Two-closer system: bottom closer features hold-open button that holds storm door open with tap of toe; top closer adds dependable opening and closing.
- Bottom expander adjusts to uneven sills.
- Choose the QuickFit™ handleset that best complements your home (sold separately).
- Self-drilling installation screws.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.
- Built-in Pet Door in bottom glass panel fits pets up to 40 lbs. Includes a slide in panel cover (146PV only).



Easy Vent®  
Fullview  
Low-E and Clear  
146FVE | 146FV



Built-in  
Pet Door  
146PV



Bevel Glass  
146BV



Midview  
146MV



Midview  
146MV



LARSON LIST

QuickFit™ Handleset
<b>CURVED</b> 20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass
<b>STRAIGHT</b> 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black
<small>Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.</small>

**Note:**  
See your LARSON seller or visit  
larsondoors.com for additional  
information on limited warranties and  
exclusions.

LARSON LIST

Platinum RS	SIZE
146FVE Low-E	32" x 81" 36" x 81"
	34" x 81"
146FV Clear	32" x 81" 36" x 81"
	30" x 81" 34" x 81"
146PV Pet Door	32" x 81" 36" x 81"
146BV Bevel	36" x 81"
146MV Midview	32" x 81" 36" x 81"
	34" x 81"
146HV Highview	32" x 81" 36" x 81"
REGULAR CUSTOM**	
146FVE Low-E	W: 30" – 40" H: 70" – 86"
146FV Clear	
OVERSIZE CUSTOM**	
146FVE Low-E	W: 32"- 40" H: 86 -1/8" - 97"
146FV Clear	

Door Color Sample		
White	Almond	Sandstone
Brown	Black	Graphite

**FRENCH DOOR KIT** available. Refer to  
chart in French Door section. For Pet  
Door model, consider 149FV or 149FVE  
along with 149PV.



**\*\* CUSTOM DOORS:** Please  
allow 6-10 weeks for delivery.  
Once placed, custom orders  
cannot be canceled.

\*\*\* Order in increments of three  
(same finish) for reduced pricing.







# 356 Lifestyle Fullview

## Standard Features



- 1-3/8" thick aluminum frame.
- Heavy-duty weatherstrip.
- Designer screw covers conceal exterior mounting screws.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Decorative exterior lever with keyed lock; color-matched interior handle.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.



# 830 Lifestyle Midview

## Standard Features



- DuraTech® surface over solid wood core for age and weather resistance.
- Magnetic weatherstrip adheres to aluminum frame for a tight seal.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Matching interior and exterior Secure Lock® handles with built-in inside lock.
- Two adjustable-speed closers in matching colors.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



LARSON LIST

Platinum RS	SIZE
356-52 Brushed Nicke	32" x 81"
356-60 Brass	34" x 81"
	36" x 81"

FRENCH DOOR KIT not available.

Door Color Sample
<div>White</div>

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

LARSON LIST

READY-TO-HANG SCREEN DOOR	SIZE
830-82 Brushed Nickel 830-85 Aged Bronze	32" x 81" 36" x 81"
830-80 Brass	34" x 81"
REGULAR CUSTOM**	
830-82, 830-85, 830-80	W: 30" – 36" H: 67 -1/2" – 85"
OVERSIZE CUSTOM**	
830-82, 830-85, 830-80	W: 36 -1/8" – 42" H: 85 -1/8" – 90"



- \*\* CUSTOM DOORS:**
- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
  - Glass insert size remains standard; frame size adjusts for custom order.
  - Maximum size: 42" x 90" uses same size glass insert as standard 36" x 81" door.
  - Minimum size: 30" x 67-1/2" uses same size glass insert as 32" x 81" door.
  - Moldings are NOT available on models with opening heights under 77-1/2".

Door Color Sample	
<div>White</div>	<div>Almond</div>
<div>Sandstone</div>	<div>Brown</div>

FRENCH DOOR KIT available. Refer to chart in French Door section. For Pet Door model, consider 149FV or 149FVE along with 149PV.





Model Shown: 691-55  
Aged Bronze

## 691 Lifestyle Highview Standard Features



- DuraTech® surface over solid wood core for age and weather resistance.
- Magnetic weatherstrip adheres to aluminum frame for a tight seal.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Matching interior and exterior Secure Lock® handles with keyed lock.
- Two color-matched adjustable-speed closers.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



Brushed Nickel   Brass   Aged Bronze



Model Shown: 370-81

## 370-81 Life-Core® Midview Standard Features






- DuraTech® surface over solid wood core for age and weather resistance.
- Heavy-duty weatherstrip.
- Screen Away® retractable screen disappears in top cassette for a clear view.
- Color-matched lever handle and inside lock.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



White   Almond

### LARSON LIST

Platinum RS	SIZE
691-52 Brushed Nickel 691-55 Aged Bronze 691-90 Brass	32" x 81" 36" x 81"
REGULAR CUSTOM** SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE IF OVER 85"	
691-52, 691-55, 691-90	W: 29" – 36" H: 52" – 90"

Door Color Sample	
 White	 Sandstone
 Brown	





- \*\* CUSTOM DOORS:**
- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
  - Glass insert size remains standard; frame size adjusts for custom order.
  - Maximum size: 36" x 90" uses same size glass insert as standard 36" x 81" door.
  - Minimum size: 29" x 52" uses same size glass insert as 32" x 81" door.
  - Moldings are NOT available on models with opening heights under 77-1/2".

**FRENCH DOOR KIT available. Refer to chart in French Door section.**

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

### LARSON LIST

	SIZE
370-81	32" x 81" 36" x 81"
	30" x 81"

Door Color Sample
 White
 Almond

FRENCH DOOR KIT available. Refer to chart in French Door section.





## Pet Friendly Doors

### Built-in Pet Door


Because you share your heart and your home with your dog, invite him to enjoy the ease of entering and exiting with one of our storm doors with PetSafe® pet flap.



## 360-49 Pet Breeze Standard Features

- 1-1/4" low-maintenance, all-metal frame.
- Tear-resistant PetScreen® Screen is built to hold up to daily life with your pet.
- Pet door fits pets up to 100 lbs.
- Color-matched lever handle and inside lock.
- Color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.

**Model Shown: 360-49**  
Flap Opening: 10" x 17"



### LARSON LIST

	SIZE
360-49	32" x 81" 36" x 81"

Door Color Sample
<div>White</div> <div>Brown</div>


FRENCH DOOR KIT not available.



Slide-in panel cover secures pet flap.










### 360-79 Classic-View PetView Standard Features

- 1-1/4" low-maintenance, all-metal frame.
- Fullview design bottom glass allows your pet to see outside.
- Pet door fits pets up to 100 lbs.
- Tear-resistant WearTuff® screen.
- Reversa Screen for top or bottom ventilation.
- Color-matched lever handle and inside lock.
- Color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.



### 370 Life-Core Pet Door Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- 370-79 fits pets up to 100 lbs.
- 370-78 fits pets up to 220 lbs.
- Heavy-duty weatherstrip.
- Single-vent screen for bottom ventilation.
- Color-matched adjustable-speed closer.
- Matching interior and exterior Secure Lock® handles with built-in inside lock.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty



#### LARSON LIST

	SIZE
360-79	32" x 81" 36" x 81"

Door Color Sample
<div>White</div>
<div>Brown</div>

FRENCH DOOR KIT not available.

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.



Slide-in panel cover secures pet flap.

#### LARSON LIST

	SIZE
370-79	32" x 81" 36" x 81"
370-78	32" x 81" 36" x 81"
REGULAR CUSTOM**	
370-79	W: 28" – 36" H: 71 -1/2" – 85"
370-78	W: 28" – 36" H: 81" – 85"
OVERSIZE CUSTOM**	
370-79	W: 36 -1/8" – 42" H: 85 -1/8" – 96"
370-78	W: 36 -1/8" – 42" H: 85 -1/8" – 96"

Door Color Sample
<div>White</div>
<div>Almond</div>



Slide-in panel cover secures pet flap.

#### Dog door opening remains the same on all custom doors



- \* CUSTOM DOORS**
- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
  - Glass insert size remains standard; frame size adjusts for custom order.
  - Maximum size: 42" x 96" uses same size glass insert as standard 36" x 81" door.
  - Minimum size: 28" x 71-1/2" uses same size glass insert as 32" x 81" door.

**FRENCH DOOR KIT available. Refer to chart in French Door section.**  
**For Pet Door models, consider 278-SS (pg 28), along with Pet Door.**





### Convenient protection.

This collection of low-maintenance venting doors are built strong and sturdy, allowing for maximum air movement while sealing out weather.



## 370-50 Life-Core® Reversa Screen

### Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Tear-resistant WearTuff® Reversa screen.
- Strong-hold handle with keyed lock for added security.
- FlexGuard™ closer protects door when over-extended and allows door to open past 90 degrees.
- Bottom expander adjusts to uneven sills.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



#### Screen Options


#### WEARTUFF®

Durable mesh screen holds up to wear and tear.



White

Brown



#### LARSON LIST

	SIZE
370-50	32" x 81" 34" x 81" 36" x 81"
	30" x 81"


#### Door Color Sample



FRENCH DOOR KIT available. Refer to chart in French Door section.








360-16 and 660-16 Classic-View  
Standard Features




- 1-1/4" low-maintenance, all-metal frame.
- Rigid steel kickpanel stands up to abuse.
- Reversa Screen for top or bottom ventilation.
- Bottom expander adjusts to uneven sills.
- Durable handle and interior lock.
- Color-matched lever handle and inside lock.
- One color-matched closer.
- Universal hinge for right or left mount.
- Limited Lifetime Warranty.



271-TT Life-Core Multi-Vent®  
Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Multi-Vent glass and full screen for top or bottom ventilation.
- Color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Matching interior and exterior Secure Lock® handles with built-in inside lock.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



LARSON LIST

MIDVIEW	SIZE
360-16 (660-16) Lever	32" x 81" 36" x 81"
	34" x 81"
	30" x 81"
HIGHVIEW	
360-18 (660-18) Lever	32" x 81" 36" x 81"

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

LARSON LIST

	SIZE
271-TT	32" x 81" 36" x 81"
REGULAR CUSTOM**	W: 29" – 36" H: 67 -1/2" – 85"
OVERSIZE CUSTOM**	
SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE	W: 36 -1/8" – 42" H: 85 -1/8" – 90"



- \*\* CUSTOM DOORS:**
- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
  - Glass insert size remains standard; frame size adjusts for custom order.
  - Maximum size: 42" x 90" uses same size glass insert as standard 36" x 81".
  - Minimum size: 29" x 67-1/2" uses same size glass insert as 32" x 81".
  - Moldings are NOT available on models with opening heights under 77-1/2".

**FRENCH DOOR KIT available. Refer to chart in French Door section.**  
**For Pet Door models, consider 278-SS (pg 28), along with Pet Door.**





Model Shown: 830-46

- ### 830-46 Life-Style Multi-Vent®
- #### Standard Features
- DuraTech® surface over solid wood core for age and weather resistance.
  - Magnetic weatherstrip adheres to aluminum frame for a tight seal.
  - Multi-Vent glass and full screen for top and bottom ventilation.
  - Color-matched adjustable-speed closer.
  - White handle on white door; black handle on brown door.
  - Bottom expander adjusts to uneven sills.
  - Sleek push button handle.
  - Universal hinge for right or left mount.
  - 10-Year Limited Warranty




Model Shown: 278-SS

- ### 278-SS Life-Core® Single-Vent
- #### Standard Features
- DuraTech® surface over solid wood core for age and weather resistance.
  - Heavy-duty weatherstrip.
  - Single-vent glass and half screen for bottom ventilation.
  - Color-matched lever handle and inside lock.
  - One color-matched adjustable-speed closer.
  - Bottom expander adjusts to uneven sills.
  - Secure Lock® matching levers with built-in lock.
  - Universal hinge for right or left mount.
  - 10-Year Limited Warranty.



LARSON LIST


MIDVIEW	SIZE
360-16 (660-16) Lever	32" x 81" 36" x 81"



FRENCH DOOR KIT available. Refer to chart in French Door section.

LARSON LIST

	SIZE
278-SS	32" x 81" 36" x 81"
	30" x 81" 34" x 81"
	32" x 85" 36" x 85"
REGULAR CUSTOM*	W: 28" – 36" H: 52" – 85
OVERSIZE CUSTOM*	W: 36 -1/8" – 42" H: 52" – 85"
OVERSIZE PLUS*	
SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE	W: 32" – 42" H: 85 -1/8" – 96"



- \*\* CUSTOM DOORS:**
- Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.
  - Oversize custom: Any dimension larger than 36" wide or 85" high.
  - Maximum size: 42" x 85" uses same size glass insert as standard 36" x 81".
  - Minimum size: 28" x 52" uses same size glass insert as standard 32" x 81".
  - SPECIAL STANDARD 32" x 85", 36" x 85" and custom doors over 85" high use same size glass insert as standard 288-SS model. Glass insert size remains standard; frame size adjusts for custom order.

**FRENCH DOOR KIT available. Refer to chart in French Door section.**





Model Shown: 380-05

### 380-05 Mobile Home Door Standard Features

- DuraTech® surface over solid wood core for age and weather resistance.
- Durable heavy-duty weatherstrip.
- Single-vent glass and half screen for bottom ventilation.
- One color-matched adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Sleek push button handle.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



White



Model Shown: 288-SS

### 288-SS and 283-ST Value-Core® Single-Vent Standard Features

- Aluminum surface over solid wood core.
- Durable heavy-duty weatherstrip.
- Single-vent glass and half screen for bottom ventilation.
- White handle on white door; black handle on brown door.
- One adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Sleek push button handle.
- Universal hinge for right or left mount.
- 10-Year Limited Warranty.



283-ST



White

Black



LARSON LIST

	SIZE
380-05 Mobile Home Push Button	30" x 75" 32" x 75"
	30" x 74" 30" x 76" 32" x 74" 32" x 76" 32" x 78" 34" x 78" 36" x 74" 36" x 78"

**Note:**  
See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

Door Color Sample



White

FRENCH DOOR KIT available. Refer to chart in French Door section.

LARSON LIST

	SIZE
288-SS	32" x 81" 34" x 81" 36" x 81"
	30" x 81"
283-ST	32" x 81" 36" x 81"
	30" x 81"

FRENCH DOOR KIT available. Refer to chart in French Door section.

Door Color Sample



White



Brown





298-SS and 293-ST Vinyl-Clad Single-Vent  
Standard Features

- Vinyl surface over solid wood core.
- Durable weatherstrip.
- Single-vent glass and half screen for bottom ventilation.
- One adjustable-speed closer.
- Bottom expander adjusts to uneven sills.
- Durable push button handle.
- Universal hinge for right or left mount.
- 5-Year Limited Warranty.



Black White  
Only available  
for 298-SS.



293-ST



White



LARSON LIST

	SIZE
298-SS Single-vent Black Push Button	32" x 81" 36" x 81"
	30" x 81" 34" x 81"
293-ST Single-vent Color Matched	32" x 81" 36" x 81"

Door Color Sample



White

FRENCH DOOR KIT available. Refer to chart in French Door section.

**Note:**  
LARSON reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for details on limited warranties and exclusions.

©2023 Larson Manufacturing Company. All rights reserved. LARSON and the Larson logo are trademarks of Larson Manufacturing Company. Registered trademarks are registered in the U.S. and may be registered internationally. Larson Manufacturing Company is an operating company of Fortune Brands Innovations, Inc. All trademarks are property of their respective owners.



Security

A complete line of security doors designed to protect your home and family.



Platinum  
COLLECTION



Guardzman  
COLLECTION

Security Door Index

Platinum COLLECTION

Platinum Secure Glass	02
Platinum Secure Screen	03

Guardzman COLLECTION

04

Round Top STORM DOORS

07

360-48 and 360-49 Screen Door	09
-------------------------------	----







## Platinum Secure Glass Standard Features



- Dominator™ shield in between two glass panels helps keep intruders out; includes Break-In Protection Warranty.
- The built-in closer with Click&Hold™ technology is hidden to provide a clean look inside and out, while conveniently holding the door open.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Fullview glass allows maximum natural light into the home.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.

Platinum SG  
449-04



Additional security with multi-point locking system.



Hidden built-in closer with Click&Hold™ technology to hold the door open.



## Platinum Secure Screen Standard Features



- Dominator™ .032" stainless steel mesh is tested to withstand 1,000 lbs. of force to help prevent break-ins.\*\*
- The built-in closer with Click&Hold™ technology is hidden to provide a clean look inside and out, while conveniently holding the door open.
- Pre-assembled for effortless installation; add your QuickFit™ handleset, place on opening and secure pre-attached screws.
- The multi-point locking system secures the door to the frame at three points, providing extra security and protection.
- Hinges are pre-assembled; pick left or right as viewed from outside.
- Effectively blocks insects without restricting views or airflow.
- Built with low-maintenance aluminum and heavy-duty weatherstrip.
- Handleset is pre-drilled; choose the QuickFit™ handleset that best complements your home (sold separately).
- Limited Lifetime Warranty and Break-In Protection Warranty.

Platinum SCR  
450-18



Additional security with multi-point locking system.



Hidden built-in closer with Click&Hold™ technology to hold the door open.

LARSON LIST

QuickFit™ Handleset
<b>CURVED</b> 20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass
<b>STRAIGHT</b> 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black
<small>Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.</small>

LARSON LIST

Platinum RS	SIZE
449-04	32" x 81" 36" x 81"
<b>REGULAR CUSTOM**</b>	
449-04	W: 24" – 36" H: 75" – 85"
<b>OVERSIZE CUSTOM**</b>	
449-04	W: 36 -1/8" – 42" H: 75" – 85"
<b>OVERSIZE PLUS CUSTOM**</b>	
449-04	W: 24" – 42" H: 85 -1/8" – 97"

Door Color Sample		
White	Black	Graphite
Pebblestone	Woodland	

LARSON LIST

QuickFit™ Handleset
<b>CURVED</b> 20297817 Brushed Nickel 20297807 Brass 20297857 Aged Bronze 20297820 Antique Brass
<b>STRAIGHT</b> 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black
<small>Note: QuickFit™ Handleset fit only Platinum Collection, Easy Vent® Selection (146) and Elegant Selection (149) models and cannot be modified for use with older models.</small>

LARSON LIST

Platinum RS	SIZE
450-18	32" x 81" 36" x 81"
<b>REGULAR CUSTOM**</b>	
450-18	W: 24" – 36" H: 75" – 85"
<b>OVERSIZE CUSTOM**</b>	
450-18	W: 36 -1/8" – 42" H: 75" – 85"
<b>OVERSIZE PLUS CUSTOM**</b>	
450-18	W: 24" – 42" H: 85 -1/8" – 97"

Door Color Sample		
White	Black	Graphite
Pebblestone	Woodland	

Choose Your Handle

QuickFit™ Handleset sold separately and required to operate built-in deadbolt on Platinum Collection doors.

Straight Handle

Curved Handle

\* Preparation time not included. Based on typical installation. Actual times may vary.



\*\* CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

\*\*\* Order in increments of three (same finish) for reduced pricing.

Note: See your LARSON seller or visit [larsondoors.com](http://larsondoors.com) for additional information on limited warranties and exclusions.

Choose Your Handle

QuickFit™ Handleset sold separately and required to operate built-in deadbolt on Platinum Collection doors.

Straight Handle

Curved Handle

\* Preparation time not included. Based on typical installation. Actual times may vary.

\*\*Stainless steel wire mesh tested to withstand 1,000 lbs. per lineal in. of force.



\*\*\* CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

\*\*\*\* Order in increments of three (same finish) for reduced pricing.



# Guardisman

COLLECTION



## Traditional comfort that makes a statement.

### Security Storm Doors

The Guardsman Collection offers a complete line of steel security doors built to protect what matters most. The welded tubular steel frame provides superior strength, and the anti-removal vault pin and heavy-duty hinges add reinforced protection.



Front door security does not mean a sacrifice in style. The Guardsman Collection features a 3-piece tempered safety glass system, pneumatic closer and wind chain.

Interchangeable insect screen available for seasonal venting. SOLD SEPARATELY




Welded tubular steel frame for superior strength.



Anti-removal vault pin for reinforced protection.




Heavy-duty 7" hinges for a secure mount.




White



Black



Graphite



Sandstone



Brown




### Got too many keys?

Provide your own hardware which enables you to key your prime and security doors alike.

Any standard prime door hardware will fit with these noted dimensions: 2-3/8" backset, 2-1/8" hole diameter.





SINGLE DOOR STANDARD


LARSON LIST

	SIZE
Courtyard 92020	32" x 81" 36" x 81"
Garden View 92021	
SoHo 92036	
Geneva 92024	
El Dorado 92028	

REMEMBER TO SPECIFY HINGE SIDE AS VIEWED FROM OUTSIDE

CUSTOM DOORS\*

LARSON LIST

 SINGLE DOOR	REGULAR CUSTOM	OVERSIZE CUSTOM	OVERSIZE CUSTOM PLUS
Courtyard 92020	W: 30" – 36" H: 76" – 84"	W: 36 -1/8" – 42" H: 76" – 84"	W: 30" – 42" H: 84 -1/8" – 96"
Garden View 92021			
SoHo 92036			
Geneva 92024			
El Dorado 92028			
OVERSIZE PLUS CUSTOM**			
Courtyard 92020	W: 30" – 36" H: 76" – 84"	W: 30" – 36" H: 76" – 84"	W: 30" – 36" H: 76" – 84"
Garden View 92021			
SoHo 92036			

OPTIONS**	
Custom Lock Box Heights Provide measurements when ordering – see page 7	Order Custom Sizes
Mail Slot – Silver or Black Finish Double Doors: mail slot installed on active door	Order Custom Sizes
Insect Screen Half screen fits top or bottom	White, Black – Standard Sizes only (Single Door)
	All Colors - Custom Sizes (Single Door)
	Double Door – 2 screens



\*\*\* CUSTOM DOORS: Please allow 6-10 weeks for delivery. Once placed, custom orders cannot be canceled.

\*\* Door Options (excluding half screen) are non retrofittable and must be ordered with the door.

# Round Top


## STORM DOORS

The Guardsman Collection features two styles in a round top configuration. These doors feature tempered safety glass and include pneumatic closer and wind chain. Unlike our other products, rounded-top doors require more complex installation, so professional installation is recommended.



**DELIVERY 6 – 8** weeks from the day the order is placed and template approved.


**INSTALLATION** Framing includes three pieces and requires a professional install for on-site adjustments.




White



Black



Graphite



Sandstone



Brown



### Fullview

- Fixed glass panel
- Mortise style lock included
- Width: 30"-42"
- Height: 76"-96"

Double key lock cylinder standard. Thumb turn key optional with Brass and Antique Brass. Specify when ordering.



Brushed Nickel




Brass



Oil Rubbed Bronze



Antique Brass



### EXTERIOR



### INTERIOR

### Courtyard

- Security bars with 3 fixed glass panels.
- Reinforced lock box.
- Bottom insect screen sold separately.
- Width: 30"-42"
- Height: 76"-96"

### Got too many keys?

Provide your own hardware which enables you to key your prime and security doors alike. Any standard prime door hardware will fit with these noted dimensions: 2-3/8" backset, 2-1/8" hole diameter.







DEALER	
CONTACT	
ADDRESS	
EMAIL	



## Guidelines

For pricing, complete this form and email to [quotes@larsondoors.com](mailto:quotes@larsondoors.com) or FAX to 800-888-9006.

**NOTES:**

---

---

---

---

---

---

### 1. Hinging:

as viewed from outside


☐ Left-Hinge      ☐ Right-Hinge

## 2. Rough Opening Height (A/B):


---

### 3. Rough Opening Width (C/D):

#### 4. Rough Opening Spring Line (E):




**Model Shown: 360-48**  
**Standard WearTuff® screen**



**Model Shown: 360-49  
Standard Pet Screen**

Flap Opening: 10" x 17"  
Fits pets up to 100 lbs.



### Screen Options

## WEARTUFF®

Durable mesh screen holds up to wear and tear.



### Upgrade Screen Options


**PETSCREEN®**

Tear-resistant screen built with your pet in mind.





**NO-SEE-UM**

Tight mesh guards against small insects.



**SUNTEX®80**

Heavy-duty woven mesh blocks 80% of sun's heat.



**\*\* CUSTOM DOORS:**

Please allow 6-10 weeks for delivery.

Once placed, custom orders cannot be canceled

360-48: French Door Kit available. Refer to chart in French Door section.

360-49: French Door Kit not available.

