



226 Main Street · Milford, Ohio 45150
513.831.5717 or 800.359.0827


fountainspecialist@zoomtown.com || fountainspecialist.com



Sales-Designs-Rentals-Consulting-Restorations-Manufacturing For commercial and residential customers

Fountain Supply, Design, and Installation	Lake Fountains and Aerators
Direct and Magdrive pumps	Fiberglass Pools
Underwater Lights	Sundials and Lawn Ornaments
Algaecides and Pond Treatments	Efco Chainsaws and Trimmers
Flag Poles	Concrete Staining and Touch Up
Concrete Garden Statues and Birdbaths	Pond Liners and Bubblers
Marble, Granite, Bronze, and Brass	Leak Fixes and Spray Liners
Aluminum and Cast Iron Fountains	Copper Ring Fountains
Brass Nozzles and Electronic Controls	FOUNTAIN RESTORATION

NEVER CRACK FIBER GLASS POOLS



FOUNTAIN SPECIALIST 226 Main St. Milford Ohio 45150



226 Main Street · Milford, Ohio 45150
513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Fountains

We carry a large variety of concrete fountains from a number of different manufacturers. If you order through us we can take care of delivery and installation. We ensure the fountain arrives in good condition and is set up properly so the customer has an easy time with it. We perform service calls so you know your fountain can be fixed by the professionals who installed it.

Depending on the manufacturer concrete products come in a variety of quality finishes. We also have a number of stains we can apply ourselves. These help to protect the fountain from weather in addition to making it look nice.

If those are not to your liking we can design a custom fountain for larger jobs. We can work up schematics for anything from the size of a Rookwood wall fountain to the size of King's Island's International Street fountains. We provide a quote, drawings, plumbing schematics, and all relevant cut sheets for a design using time proven materials.



Our company has been working on projects since 1960. We have a large number of completed projects, more than we can reasonably share here. If you have any questions, call or email to ask. Chances are we have done something like it before.






Fountain Specialist Inc.

226 Main Street · Milford, Ohio 45150
513.831.5717 or 800.359.0827


fountainspecialist@zoomtown.com || fountainspecialist.com

Direct Drive Pumps 120 V GPH Rated at 1' Head




F10-1200(GPH)
F20-2700(GPH)
F30-4000(GPH)
F40-5500(GPH)
F50-5000(GPH)
F70-7300(GPH)


* Pump performance at 120 VAC with no intake screen



PE-1H-PW(170 GPH)
PE-1F-PW(170 GPH)
PE-2H-PW(300 GPH)
PE-2F-PW(300GPH)
PE-2.5F-PW(475 GPH)



WGP-65-PW (1900 GPH)
WGP-80-PW (3500 GPH)
WGP-95-PW (4280 GPH)



WGFP-33 (2500 GPH @ 5')
WGFP-50 (4280 GPH @ 5')
WGFP-75 (4890 GPH @ 5')
WGFP-100 (6400 GPH @ 5')
WGFP-150 (9750 GPH @ 5')



Fountain Specialist Inc.

226 Main Street · Milford, Ohio 45150

513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Magdrive Pumps and UV Sterilizers

12V/120V

WT65p (65 GPH)
WT90p (99 GPH)
WA90p (99 GPH)
WT125p (125 GPH)
WT160p (160 GPH)
WT170p (165 GPH)
WA300LVP (290 GPH)
WT345p (345 GPH)
WT400e (397 GPH)
WT530p (528 GPH)
WT800p (800 GPH)
WT1000e (1000 GPH)



Submersible Ultraviolet Clarifiers
With replaceable lamps and sleeves
For pump rates/ pond sizes up to
700 GPH / 1500 Gallons
1800 GPH/ 3000 Gallons
3000 GPH/ 6000 Gallons





Fountain Specialist Inc.

226 Main Street · Milford, Ohio 45150
513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Underwater Lights



PEM E40
Simple durable brass light fixtures



AE LED 18W 12V
White or RGB LEDs around the nozzle



LED Photosensitive Pond Lights
Turn on and off at dusk and dawn

AE D-145
Can be run in or out of water


680 Series Light
Small size and simple assembly, low voltage

JT LED 12V
60Hz, come in sets of 3 with weighted bases

MAS 12 LED Underwater Light
12 LEDs in any primary color, inserted in fountain nozzle



LG Low Voltage Halogen Kit
Comes with 4 color filters, in kits of one or three





226 Main Street • Milford, Ohio 45150
513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Enzymes for Water Gardens and Ponds with Fish and Plants

Pond bacteria products contain living organisms that actually produce enzymes. The enzymes produced are then responsible for breaking down the organic material. Once the material is broken down the pond bacteria will then be able to easily consume this organic material. Pond bacteria are very smart; they will only produce the enzyme that is needed to break down the particular waste that is present in the bottom of your pond.

Our specially blended “Pond Flush” is a concentrated blend of microbes. When this mixture is hydrated by application to a pond or lake the microbes quickly come to life and multiply by the billions. They will begin processing extra nutrients that cause plants and algae to grow out of control and clear up the water. Pond Flush is not a poison; it works by reducing the nutrients to a normal level. This process usually takes at least a month to significantly improve the water quality. A consistent, patient, and timely application program will achieve success by reducing the nutrient supply for a prolonged period.



Muck Digester is another product which uses microbes to clean a pond, this time by using them to digest the muck and excess waste. The pond bacteria will consume the muck and release it in the form of carbon dioxide and water. This cleans up your pond while supporting a healthy microbiome.

If there are not enough nutrients in the pond instead of too many, Barley Pellets slowly release them into the pond to let other organisms flourish. They are safe for wildlife and fish, and small and unobtrusive. The pellets support the bacteria and help them do their job of breaking down messes. They disperse the nutrients slowly, and last for 4-6 weeks.



Keep a healthy pond like it is by protecting its contents from harmful UV light using pond dyes. Our blue or black dyes make the surface more reflective and mirror like so less harmful rays get in, without affecting any of the ponds inhabitants. Not only does this make it look nice and clean, it also regulates the ponds temperature and cools it down by reflecting some of the sunlight. It is completely organic and biodegradable.





226 Main Street · Milford, Ohio 45150

513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Products for Ponds or Fountains without Fish and Plants

This is a guide to help in the maintenance of fountain water to prevent algae growth. The chemicals listed below are not suggested in ponds with water plants or fish. We have other products that we recommend for those ponds.

The principle idea is to maintain the water just as one would for a swimming pool. This means keeping the pH level in the range of 7.2 - 7.6, the calcium hardness above 200 ppm, and the total alkalinity around 80 - 120 ppm. Too high a pH results in cloudy water and scale deposits, too low a pH will etch the concrete or plaster and corrode the equipment. The same results can be seen when the calcium hardness is out of balance. To raise the pH level, add soda ash; to lower the pH level, add muriatic acid.

The products we have found to work extremely well in fountains are Proteam Supreme Polyquat, and Pond Blocks. Proteam Supreme is a chlorine substitute therefore it will not deteriorate the seals in the pump nor be as harmful to plants around the fountain. There is also no smell associated with this product. A one time treatment of Proteam is sufficient unless the fountain is losing water by means of splash. The Proteam powder does not evaporate out like chlorine tends to do. The suggested dose of Proteam is 2 lbs. per 1000 gallons of water. This treatment can be repeated as it seems the fountain needs it.

To enhance the Proteam, add 4 oz. of Polyquat Algaecide per 1000 gals. of water. When there is copper or other metal components in the fountain add ½ an oz. per 1000 gals. of Metal Magic. The Metal Magic will keep the copper clean and shiny; it will also prevent scaling on the inside of the pipes. Proteam does, however, have a tendency to raise the pH level of the water. To counteract this imbalance add a ¼ lb. of pH down with each lb. of Proteam Supreme. For smaller ponds we have “Microfloc” which is a liquid that combines the Proteam Supreme with Polyquat for one application.

If this sounds like too much to handle we have 1" pond blocks. These use chlorine to kill off any algae or plants and are simple and effective. They prevent growth from becoming a problem and clogging up your pump. They dissolve slowly and last a while so you only need to dose every few weeks.

All of these chemicals are available through our Milford office and can be mailed via U.P.S.

Work Order Sheet

Date:

Name:

Phone Number:

--	--

Company Name:

--

Address (Job Location/Billing):

--

Directions:

--

Type of Fountain:

- | | | | | |
|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|--|
| <input type="checkbox"/> Interior | <input type="checkbox"/> Exterior | <input type="checkbox"/> Waterfall | <input type="checkbox"/> Fish Pond | <input type="checkbox"/> Fiberglass pool |
| <input type="checkbox"/> Concrete | <input type="checkbox"/> Aluminum | <input type="checkbox"/> Nozzle | <input type="checkbox"/> Floating | <input type="checkbox"/> tiered/statue ftn |

Details:

- | | | |
|---|---|-----------------------------------|
| <input type="checkbox"/> Lights on Fountain | <input type="checkbox"/> Submersible Pump | <input type="checkbox"/> Dry Pump |
|---|---|-----------------------------------|

Detailed Description of what is wrong:

--

What can we do to fix it/ When is a good time:

--


Notes:

--



We appreciate your business.
Thank you for coming to us
for all your fountain needs.
Please use this link to tell us
how we did on Google
Reviews and help us boost
our online presence.

<https://g.page/fountainspecialist/review>







Fountain Specialist Inc.

226 Main Street • Milford, Ohio 45150
513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com
Concrete Garden Statues and Birdbaths

We carry cast concrete statues in a variety of qualities and finishes. No matter what you are looking for, we have options for your style and price range. We have a large selection in the store, and access to more designs than we could reasonably store in downtown Milford, so if you are looking for something specific just ask, we can get it for you.

We carry all varieties of statues, all sizes of birdbaths, all variety of planters, all types of benches and tables, and all the stone ornaments we can get our hands on.



NN-4



Fountain Specialist Inc.

226 Main Street · Milford, Ohio 45150

513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Marble, Granite, Brass, and Bronze

We can provide high quality custom statues and fountains for memorials, religious purposes, or decoration. Carved in marble or granite or cast in brass or bronze.



Fountain Specialist Inc.

226 Main Street • Milford, Ohio 45150

513.831.5717 or 800.359.0827



fountainspecialist@zoomtown.com || fountainspecialist.com

Aluminum and Metal

We carry aluminum products including fountains, sculptures, light posts, and other decorations. We treat metal products with an industrial 2 part epoxy paint to add color and protect the item. The paint comes in white, black, and other colors.



We also carry other metal products. We carry cast iron fountains similar to the aluminum options but heavier. We carry metal sundials in cast iron and many other materials to decorate your yard with the oldest garden decoration known to man. We carry cast iron bells with multiple sizes and mounting options. We also carry glass gazing globes in many colors with a silvered finish.





Fountain Specialist Inc.


226 Main Street • Milford, Ohio 45150

513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Lakes and Ponds

We carry all variety of lake products including bubbler fountains, floating lake fountains, metal ring fountains, pond liner, durable fiberglass pools (pictured on the inside of our pamphlet), lake aerators, and fountain nozzles.





Fountain Specialist Inc.



226 Main Street · Milford, Ohio 45150



513.831.5717 or 800.359.0827



fountainspecialist@zoomtown.com || fountainspecialist.com



PEM



We carry PEM submersible U/L junction boxes and all necessary cord seals alongside other high quality brass plumbing supplies like water stops.



J 1   #363-1110, CSA / UL
Max. 2 x 1/2" Outlets
1 x Max. 3/4" Conduit



J 2   #363-1210, CSA / UL
Max. 4 x 1/2" Outlets
1 x Max. 3/4" Conduit



J 2-2   #363-1220 *
Max. 4 x 3/4" Outlets
1 x Max. 3/4" Conduit



J 3   #363-1310, CSA / UL
Max. 4 x 1/2" Outlets
2 x Max. 3/4" Conduits



J 4   #363-1410, CSA / UL
Max. 8 x 1/2" Outlets
Max. 1 x 1" Conduit



J 5   #363-1420 *
Max. 4 x 3/4" Outlets
Max. 2 x 1" Outlets
1 x Max. 1" Conduit



J 6   #363-1510, CSA / UL
Max. 8 x 1/2" Outlets
2 x Max. 1" Conduit



J 5   #363-1520 *
Max. 4 x 3/4" Outlets
2 x Max. 1" Conduit

J 5   #363-1610, CSA / UL
Max. 16 x 1/2" Outlets
Max. 1 x 2" Conduit

J 5   #363-1620 *
Max. 8 x 3/4" Outlets
1 x Max. 3" Conduit

J 6   #363-1710, CSA / UL
Max. 20 x 1/2" Outlets
1 x Max. 2" Conduit

J 6   #363-1720 *
Max. 12 x 3/4" Outlets
Max. 1 x 4" Conduit

J 6   #363-1730 *
Max. 4 x 1 1/2" Outlets
Max. 1 x 4" Conduit

**WATERPROOFING
PIPE PENETRATIONS**

PEM 6370
611-1300 SERIES

3/4" & 1" RETROFIT

RETROFIT PIPE PENETRATIONS, 3/4" & 1" NPT/BSP
RED BRASS PIPE.


BRONZE FITTINGS with red brass pipe, for core drilled
holes in existing concrete slabs.

PEM 6370A & B can be used as electrical conduit or water pipe
penetration through water proofing membranes. Care is to be taken
to use a suitable pipe thread sealant on the submerged liner side.

Overall Lengths other than shown above can be custom made to given
specification. Overall outside diameter of fittings: 102mm / 4.0".

Fittings are NPS/BSP threaded. Connections are NPT/BSP.

#	PEM	Pipe Size	Hole Size	Overall Length
611-1301	6371	3/4"	30mm/1.25"	Fittings only
611-1303	6371A	3/4"	30mm/1.25"	355mm/14"
611-1306	6371B	3/4"	30mm/1.25"	457mm/18"
611-1322	6372	1"	40mm/1.50"	Fittings only
611-1324	6372A	1"	40mm/1.50"	355mm/14"
611-1326	6372B	1"	40mm/1.50"	457mm/18"


PEM 6372A 

**ALL CAST BRONZE NO LEAK PIPE COUPLINGS FOR
CONCRETE POOLS**

PEM 6373 Series No Leak Pipe Couplings are
made of pressure tested cast bronze.

#	PEM	T	H1 mm	D1 mm
611-1331	637311	1"	200	100
611-1332	637312	1 1/2"	200	100
611-1333	637313	2"	200	150
611-1334	637314	2 1/2"	200	150
611-1335	637315	3"	200	200
611-1336	637316	4"	200	200

PEM 63730
611-1330 SERIES




**ALL CAST BRONZE NO LEAK PIPE COUPLINGS FOR LINER
POOLS**

PEM 63740
611-1340 SERIES

PEM 6374 series No Leak Pipe Couplings with liner
clamp are made of pressure tested cast bronze, stain-
less steel fitted, with Neoprene Gasket

#	PEM	T	H1 mm	H2 mm	D1 mm	D2 mm
611-1341	637421	1"	200	6	100	134
611-1342	637422	1 1/2"	200	10	100	152
611-1343	637423	2"	200	10	150	152
611-1344	637424	2 1/2"	200	10	150	203
611-1345	637425	3"	200	10	200	203
611-1346	637426	4"	200	10	200	203





Fountain Specialist Inc.

226 Main Street · Milford, Ohio 45150

513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com


Efco

<https://www.efcopower.com/>

We are an authorized dealer for all Efco products. If it needs fixed we will find the right replacement part. We also sharpen chainsaw and knife blades.



**NO GARDEN IS EVER COMPLETE
WITHOUT MOVING WATER**



FOUNTAIN SPECIALIST 226 Main St. Milford Ohio 45150



226 Main Street · Milford, Ohio 45150

513.831.5717 or 800.359.0827

fountainspecialist@zoomtown.com || fountainspecialist.com

Flag Poles

Patio flag poles are lightweight, seamless; rust free, with a long lasting appearance, popular for home or apartment landscaping. Standard fittings include a gold anodized, spun aluminum ball; cast aluminum stationary truck assembly with cast nylon sheave; braided nylon halyard; nylon snap hooks; cast aluminum cleat; ground setting tube and installation instructions. Comes in Anodized or White.

Exposed Height	Recommended Flag Size
10' with 2-2" sections	2'x3'
15' with 3-2" sections	3'x5'
20' with 4-2" sections	3'x5'
25' with 6-2.5" sections	4'x6'

Estate flag poles are one piece deep luster finish tapered poles for prime locations, small businesses, apartment complexes, and private residences. Standard fittings include a gold anodized, spun aluminum ball cast aluminum, stationary truck assembly with cast nylon sheave; cast aluminum cleat and braided polypropylene halyard with nylon snap hooks. Ground setting tube included.

Exposed Height	Recommended Flag Size
15' 3" Butt x 2" Top	3'x5'
20' 3" Butt x 2" Top	4'x6'
25' 3" Butt x 2" Top	4'x6'
30' 4" Butt x 2" Top	4'x6'
35' 5" Butt x 3" Top	5'x8'

Executive flag poles are gracefully tapered, architectural standards for quality, strength and finish. They enhance the landscape of private residences, apartment complexes, and commercial properties. They have a deep luster finish. Standard fittings include a gold spun aluminum ball; cast aluminum single sheave revolving truck assembly; braided polypropylene halyard; nickel plated snap hooks; cast aluminum cleat; heavy gauge, spun aluminum flash collar; and foundation sleeve assembly complete with grounding rod. Sizes range from 20 to 70 feet.

Exposed Height	Recommended Flag Size
20' 4" Butt x 2" Top	4'x6'
25' 5" Butt x 3" Top	4'x6'
30' 5" Butt x 3" Top	5'x8'
35' 5" Butt x 3" Top	5'x8'
40' 7" Butt x 3.5" Top	6'x10'
50' 8" Butt x 3.5" Top	8'x12'
60' 10" Butt x 4" Top	10'x15'
70' 10" Butt x 4" Top	12'x18'

Flags are available in sizes ranging from 2x3 feet to 15x18 feet. We can do installation for all flag poles including pouring the pad. Optional internal halyard flagpoles, external halyard flagpoles, various wall thicknesses.

